MonoBlocTM Lockers Specification





MonoBloc[™] by Bisley is the premium back of office storage solution. It provides attractive personal storage, allowing for coordination with existing workplace design, impactful brand statements and gives employees a sense of belonging.

Special attention has been given to the design and quality of these secure, long-lasting lockers, designed with clean lines, concealed hinges and discreet label holders.

MonoBloc[™] is available in single columns and banks of up to four columns in one two, three and four door options. Why not group multiple units together to create one large bank of lockers to suit your personal storage needs?

You can choose from 12 colours to suite in with the existing environment or make an impact with a statement colour choice.

This versatile locker includes ventilation grills on the doors and optional features include sloping tops and benching, a plinth and a choice of two feet options.

Features

Available with up to four individual locker compartments per column and in banks of up to four columns.

Available in seven widths, one height.

Option to bolt multiple units together.

Ventilated locker doors as standard.

Discreet label holder on every door.

Factory fitted clean/dirty compartment dividers.

Additional extras include benching, sloping tops and a plinth.

Choice of two foot options - levelling feet or raised feet.

Option to add door numbering.

Variety of hooks and hanging rails depending on locker size.

Please note that $\mathsf{MonoBloc}^{\scriptscriptstyle \mathsf{M}}$ lockers are not suitable for wet areas.

Benefits

Secure – With an AB lock as standard, you can choose to upgrade to a combination or hasp lock. Or, for alternative digital locking solutions, please contact your Bisley representative.

Sturdy – Hand-built to last, the steel carcase, doors and internals make for durable storage of personal items.

Colourful – External doors and carcases can be finished in a choice of 12 colours to suite in with your brand and create a smart, welcoming personal storage area.


Ventilated – Ventilated doors allow air to flow through the locker, keeping personal items in the best condition.

Clean/dirty dividers – Individual lockers complete with clean/dirty dividers are ideal for those who need to change from dirty overalls to clean clothes without cross contamination.



Range Overview

All lockers are available in 500mm (19.7") deep.



Available in 2 widths: 322mm (12.7") & 422mm (16.6")



Available in 4 widths: 322mm (12.7"), 422mm (16.6"), 610mm (24") & 810mm (31.9")

6 Door

Available in 4 widths: 322mm (12.7"), 422mm (16.6"), 900mm (35.4") & 1200mm (47.2")



Available in 5 widths: 322mm (12.7"), 422mm (16.6"), 610mm (24"), 810mm (31.9") & 1183mm (46.6")

0 •0 • • 🔿 • 🗆 •0

Available in 4 widths: 610mm (24"), 810mm (31.9") 1183mm (46.6") & 1200mm (47.2")

Available in 2 widths: 610mm (24") & 1200mm (47.2")

8 Door








0


•0

0

9 Door




Available in 2 widths: 900mm (35.4") & 1200mm (47.2")



12 Door

Available in 2 widths: 1183mm (46.6") & 1200mm (47.2")

16 Door



Available in 1183mm (46.6")



Product Code	Description	Width	
ML03S1	One full height ventialted door	322mm (12.7")	\sim
ML03S2	Two half height ventilated doors	322mm (12.7")	
ML03S3	Three third height ventilated doors	322mm (12.7")	n man man
ML03S4	Four quarter height ventilated doors	322mm (12.7")	82 M 1940 1
ML06D1	Two full height ventilated doors	610mm (24")	<u></u>
ML06D2	Four half height ventilated doors	610mm (24")	
ML06D3	Six third height ventilated doors	610mm (24")	ML03S4
ML06D4	Eight quarter height ventilated doors	610mm (24")	
ML09T1	Three full height ventilated doors	900mm (35.4")	
ML09T2	Six half height ventilated doors	900mm (35.4")	
ML09T3	Nine third height ventilated doors	900 mm(35.4")	
ML09T4	Twelve quarter height ventilated doors	900mm (35.4")	
ML11Q1	Four full height ventilated doors	1183mm (46.6")	ML09T4
ML11Q2	Eight half height ventilated doors	1183mm (46.6")	
ML11Q3	Twelve third height ventilated doors	1183mm (46.6")	
ML11Q4	Sixteen quarter height ventilated doors	1183mm (46.6")	

MonoBloc Lockers - 348mm (13.7") wide doors

Product Code	Description	Width	~
ML04S1	One full height ventilated door	422mm (16.6")	811
ML04S2	Two half height ventilated doors	422mm (16.6")	at ²
ML04S3	Three third height ventilated doors	422mm (16.6")	1000 TANA
ML04S4	Four quarter height ventilated doors	422mm (16.6")	e:
ML08D1	Two full height ventilated doors	810mm (31.9")	
ML08D2	Four half height ventilated doors	810mm (31.9")	ML04S2
ML08D3	Six third height ventilated doors	810mm (31.9")	1910
ML08D4	Eight quarter height ventilated doors	810mm (31.9")	100 Em
ML12T1	Three full height ventilated doors	1200mm (47.2")	a ¹
ML12T2	Six half height ventilated doors	1200mm (47.2")	43 T
ML12T3	Nine third height ventilated doors	1200mm (47.2")	<u></u>
ML12T4	Twelve quarter height ventilated doors	1200mm (47.2")	ML12T1

Units Factory Fitted with Clean/Dirty Dividers

Product Code	Description	Width
MLD04S1	One full height ventilated door	422mm (16.6")
MLD08D1	Two full height ventilated doors	810mm (31.9")
MLD12T1	Three full height ventilated doors	1200mm (47.2")

H: 1700mm (66.9") D: 500mm (19.7")

H: 1700mm (66.9") D: 500mm (19.7")

Sloping Top			H: 250/	40mm (9.8"/1.6")	D: 500mm (19.7")
MLS03 W: 322mm (12.7")	MLS04 W: 422mm (16.6")	MLS06 W: 610mm (24")	MLS08 W: 810mm (31.9")	MLS09 W: 900mm (35.4")	MLS11 W: 1183mm (46.6")
MLS12 1200mm (47.2")					
Plinth (order separately)				H: 106mm (4.2")	D: 500mm (19.7")
MLP03 W: 322mm (12.7")	MLP04 W: 422mm (16.6")	MLP06 W: 610mm (24")	MLP08 W: 810mm (31.9")	MLP09 W: 900mm (35.4")	MLP11 W: 1183 (46.6")
MLP12 W: 1200mm (47.2")					
Bench			ł	H: 400mm (15.7")	D: 800mm (31.5")
MLB06 W: 610mm (24")	MLB08 W: 810mm (31.9")	MLB09 W: 900mm (35.4")	MLB11 W: 1183mm (46.6")	MLB12 W:1200mm (47.2")	
Optional Extras					
Product Code	Description	Additional Unit Height			
MLALF	Height adjustabl	e levelling foot - pack	of four +13-	35mm (0.5"-1.4")	

+150mm (5.9")

Moulded plastic foot - pack of four

MLMPF

Specification Notes

All MonoBloc Lockers are listed with AB locking.

For alternative locking options, please use the relevant suffix listed below, for example: For Hasp lock: ML04S1 becomes ML04S1**H**

R (Rotary Combination lock)

H (Hasp lock)



For 'Same lock number' on AB locking, please add suffix **'X**' to original code listed, for example: ML04S1 becomes ML04S1**X**

For alternative locking options, please contact your Bisley representative.

Finish Options:



MonoBloc lockers are available in the Classic paint palette. For alternative finishes the below surcharges apply:

<u>Performance paint palette</u> Performance paint palette = +5%

<u>Vision paint palette</u> Vision paint palette = +10%

Optional extras:

Levelling feet:

To add height adjustable levelling feet, please add suffix 'L' to original code listed, for example: ML04S1 becomes ML04S1L

<u>Moulded plastic locker feet:</u> To add moulded plastic feet, please add suffix '**F**' to original code listed, for example: ML04S1 becomes ML04S1**F** Please note, the moulded plastic feet are available in light grey as standard, other colours are available on special request.

<u>Factory fitted plinth:</u> For factory fitted plinth, please add suffix '**P**' to the original code listed, for example: ML04S1 becomes ML04S1**P**

If optional extras are specified such as levelling feet and an alternative locking option, please specify base first, then lock. For example: ML04S1**LH**

Internal Compartment Dimensions

248mm (9.8") wide locker compartment width = 220mm (8.7") 348mm (13.7") wide locker compartment width = 320mm (12.6") Internal compartment depth = 375mm (14.8")

Please note: The above listed internal dimensions are based on the individual locker compartment size.

Please see internal compartment heights listed below.

