

LateralFile™ combination unit - most frequently specified



08C32B.2HQ



08C34ET.2HQ



08C502CT.3H



08C50WT.3H



08C542BT.3H

800mm (31.5") wide, 470mm (18.5") deep		Price Group 64
code	description	height mm
08C32B.2HQ IC08NBSPS	381mm (15") flipper & two 304.8mm (12") drawers including file bars and counterbalance narrow basic shelf	1073 (42.2")
08C34ET.2HQ	419.1mm (16.5") flipper, tie bar & two 304.8mm (12") drawers including file bars and counterbalance	1149 (45.2")
08C502CT.3H (2x) IC08LRFPS	two 304.8mm (12") flippers, tie bar & three 304.8mm (12") drawers including file bars lateral rail (for 304.8mm (12") flipper)	1643 (64.7")
08C50WT.3H IC08BSPS:T5	609.6mm (24") doors, tie bar & three 304.8mm (12") drawers including file bars basic shelf	1643 (64.7")
08C542BT.3H IC08NBSPS	two 318mm (15") flippers, tie bar and three 304.8mm (12") drawers including file bars narrow basic shelf	1795 (70.7")

Height is adjustable up to 24mm (1") in total



10C32B.2HQ



10C34L.3HQ



10C34ET.2HQ

1000mm (39.4") wide, 470mm (18.5") deep		Price Group 64
code	description	height mm
10C32B.2HQ IC10NBSPS	381mm (15") flipper & two 304.8mm (12") drawers including file bars and counterbalance narrow basic shelf	1073 (42.2")
10C34L.3HQ IAD6P3PS	152.4mm (6") drawer & three 304.8mm (12") drawers including file bars and counterbalance drawer dividers (pack of 3)	1149 (45.2")
10C34ET.2HQ	419.1mm (16.5") flipper, tie bar & two 304.8mm (12") drawers including file bars and counterbalance	1149 (45.2")

Height is adjustable up to 24mm (1") in total

LateralFile™ combination units - most frequently specified



10C502CT.3H



10C50WT.3H



10C542BT.3H



10C54ST.3H



10C60WT.4H




10C60XT.3H

1000mm (39.4") wide, 470mm (18.5") deep		Price Group 64
code	description	height mm
10C502CT.3H (2x) IC 10LRFPS	two 304.8mm (12") flippers, tie bar & three 304.8mm (12") drawers including file bars lateral rail (for 12" flipper)	1643 (64.7")
10C50WT.3H IC 10BSPS:T5	609.6mm (24") doors, tie bar & three 304.8mm (12") drawers including file bars basic shelf	1643 (64.7")
10C542BT.3H IC 10NBSPS	two 381mm (15") flippers, tie bar & three 304.8mm (12") drawers including file bars narrow basic shelf	1795 (70.7")
10C54ST.3H IC 10BSPS:T5	762mm (30") doors, tie bar & three 304.8mm (12") drawers including file bars basic shelf	1795 (70.7")
10C60WT.4H IC 10BSPS:T5	609.6mm (24") doors, tie bar & four 304.8mm (12") drawers including file bars basic shelf	1947 (76.6")
10C60XT.3H (2x) IC 10BSPS:T5	914.4mm (36") doors, tie bar & three 304.8mm (12") drawers including file bars basic shelf	1947 (76.6")


Height is adjustable up to 24mm (1") in total

add your own configurations				
code	description	external height	price (each)	total price


LateralFile™ combination units - design your own




08C24
08C20




08C36
08C34
08C32
08C30



08C43
08C40




08C54
08C50




08C64
08C60

800mm (31.5") wide, 470mm (18.5") deep			Price Group 64
code	height mm	internal height mm	notes
08C20	693 (27.3")	610 (24")	specify a counterbalance if any pull-out elements are fitted
08C24	845 (33.3")	762 (30")	
08C30	997 (39.2")	914 (36")	
08C32	1073 (42.2")	990 (39")	
08C34	1149 (45.2")	1066 (42")	
08C36	1225 (48.2")	1142 (45")	
08C40	1301 (51.2")	1218 (48")	tie bar is included in the carcass price
08C43	1415 (55.7")	1332 (52.5")	
08C47	1567 (61.7")	1484 (58.5")	
08C50	1643 (64.7")	1560 (61.5")	
08C54	1795 (70.7")	1712 (67.5")	
08C60	1947 (76.6")	1864 (73.5")	
08C64	2099 (82.6")	2016 (79.5")	


Height is adjustable up to 24mm (1") in total




09C20



09C32
09C30



09C36
09C34




09C64
09C60


900mm (35.4") wide, 470mm (18.5") deep			Price Group 64
code	height mm	internal height mm	notes
09C20	693 (27.3")	610 (24")	specify a counterbalance if any pull-out elements are fitted
09C30	997 (39.2")	914 (36")	
09C32	1073 (42.2")	990 (39")	
09C34	1149 (45.2")	1066 (42")	
09C36	1225 (48.2")	1142 (45")	
09C60	1947 (76.6")	1864 (73.5")	tie bar is included in the carcass price
09C64	2099 (82.6")	2016 (79.5")	

Height is adjustable up to 24mm (1") in total


LateralFile™ combination units - design your own




10C24
10C20




10C36
10C34
10C32
10C30



10C47
10C43
10C40



10C54
10C50



10C64
10C60

1000mm (39.4") wide, 470mm (18.5") deep			Price Group 64
code	height mm	internal height mm	notes
10C20	693 (27.3")	610 (24")	specify a counterbalance if any pull-out elements are fitted
10C24	845 (33.3")	762 (30")	
10C30	997 (39.2")	914 (36")	
10C32	1073 (42.2")	990 (39")	
10C34	1149 (45.2")	1066 (42")	
10C36	1225 (48.2")	1142 (45")	
10C40	1301 (51.2")	1218 (48")	tie bar is included in the carcass price
10C43	1415 (55.7")	1332 (52.5")	
10C47	1567 (61.7")	1484 (58.5")	
10C50	1643 (64.7")	1560 (61.5")	
10C54	1795 (70.7")	1712 (67.5")	
10C60	1947 (76.6")	1864 (73.5")	
10C64	2099 (82.6")	2016 (79.5")	

1 2 3 4 5 6 - 15

1 0 C 2 0 * * *

1&2 width

10 = 1000mm (39.4") wide

3 Type of Unit

C = combination unit

L = individually locking units

4&5 internal height

4 - number of major increments 304mm (12")





5 - number of minor increments 38mm (1.5")

6-15 closures

notes & safety warnings

- It is recommended that all cabinets below 1300mm (51.2") high which include pull-out elements, should be fitted with a counterbalance.
- All combination units over 1600mm (63") are automatically supplied with a Tie Bar Shelf which is included in the price of the carcass. Tie Bar Shelves are fitted in the top half of the carcass as close as possible to the centre.

LateralFile™ combination unit closures



closures			Price Group 64	
closures	code	description	width mm	height mm
 <p>flipper</p> <p>internal dimensions depth: 430mm (16.9") width: 760mm (29.9") 860mm (33.8") 960mm (37.8")</p>	E	flipper SoftClose as standard	800 (31.5") 900 (35.4") 1000 (39.4")	418 (16.5") (392**)
	B	flipper SoftClose as standard	800 (31.5") 900 (35.4") 1000 (39.4")	380 (15") (354**)
	M	flipper SoftClose as standard	800 (31.5") 900 (35.4") 1000 (39.4")	342 (13.5") (316**)
	C	flipper SoftClose as standard	800 (31.5") 900 (35.4") 1000 (39.4")	304 (12") (278**)
 <p>drawer</p> <p>internal dimensions depth: 406mm (16") width: 720mm (28.3") 820mm (32.3") 920mm (36.2")</p>	G	drawer slotted base for plastic dividers	800 (31.5") 900 (35.4") 1000 (39.4")	380 (15") (365**)
	O	drawer slotted base for plastic dividers	800 (31.5") 900 (35.4") 1000 (39.4")	342 (13.5") (327**)
	H	drawer slotted base for plastic dividers	800 (31.5") 900 (35.4") 1000 (39.4")	304 (12") (289**)
	J	drawer slotted base for plastic dividers	800 (31.5") 900 (35.4") 1000 (39.4")	267 (10.5") (259**)
	K	drawer slotted base for plastic dividers	800 (31.5") 900 (35.4") 1000 (39.4")	228 (9") (213**)
	#	drawer slotted base for plastic dividers	800 (31.5") 900 (35.4") 1000 (39.4")	190 (7.5") (175**)
	L	drawer slotted base for metal dividers	800 (31.5") 900 (35.4") 1000 (39.4")	152 (6") (141**)
	•	factory fitted file bars†		
	P	LateralFile™ drawer two individually locking compartments	800 (31.5") 900 (35.4") 1000 (39.4")	304 (12") (250**)
 <p>doors</p>	Y	doors	800 (31.5") 900 (35.4") 1000 (39.4")	1218 (48")
	@	doors	800 (31.5") 900 (35.4") 1000 (39.4")	1066 (42")
	X	doors	800 (31.5") 900 (35.4") 1000 (39.4")	914 (36")
	S	doors	800 (31.5") 900 (35.4") 1000 (39.4")	760 (30")
	W	doors	800 (31.5") 900 (35.4") 1000 (39.4")	610 (24")
	N	no closure		
 <p>fixed tie bar shelf</p>	T	fixed tie bar shelf* (should be fitted in the top half of the carcass as close as possible to the centre)	800 (31.5") 900 (35.4") 1000 (39.4")	38 (1.5")

†Factory fitted file bars (denoted by '.' before appropriate drawer(s) added to product code)
*When determining carcass height allow 38mm (1.5") for tie bar and pull out reference shelf

**Internal usable height (excluding internal shelf)
***Internal drawer height








LateralFile™ combination unit closures / internal options

closures				Price Group 64	
closures	code	description	width mm	height mm	
 fixed slotted tie bar shelf	U	fixed slotted tie bar shelf* slotted for plastic dividers	800 (31.5") 900 (35.4") 1000 (39.4")	38 (1.5")	
 pull-out reference shelf	R	pull-out reference shelf* to replace tie bar shelf where required	800 (31.5") 900 (35.4") 1000 (39.4")	38 (1.5")	

internal options				Price Group 64	
internals	code	description	width mm		
	ICCDR6P1PS ICCDR6P5PS ICCDR6P6PS ICCDR75P1PS ICCDR75P5PS ICCDR75P6PS	cd rack for 152mm (6") drawer (pack of 1) cd rack for 152mm (6") drawer (pack of 5) cd rack for 152mm (6") drawer (pack of 6) cd rack for 190.5mm (7.5") drawer (pack of 1) cd rack for 190.5mm (7.5") drawer (pack of 5) cd rack for 190.5mm (7.5") drawer (pack of 6)	-		
	IC08LRFPS IC09LRFPS IC10LRFPS	lateral rail for 304mm (12") flipper allow 286mm (11.2") for conventional filing pockets and 304mm (12") for computer printout binders	800 (31.5") 900 (35.4") 1000 (39.4")		
	IC08LRPS IC09LRPS IC10LRPS	lateral rail allow 286mm (11.2") for conventional filing pockets and 304mm (12") for computer printout binders	800 (31.5") 900 (35.4") 1000 (39.4")		
	BLFCHAPS	external plastic label holder	-		
	IC08FBPS IC09FBPS IC10FBPS	file bars (pair) for side to side filing (factory fitted, denoted by '.' before appropriate drawer(s) added to product code)	800 (31.5") 900 (35.4") 1000 (39.4")		
	ICCRPS	cross rails (pair) for front to back filing (also specify file bars as required, one pair of cross rails is required for each row of front to back filing)	-		
	IAIFPJ08PS IAIFPJ09PS IAIFPJ10PS	back panel for 267mm (10.5") - drawer (factory fitted options available on request. Speak to your Bisley Representative for details)	800 (31.5") 900 (35.4") 1000 (39.4")		
	IAIFPH08PS IAIFPH09PS IAIFPH10PS	back panel for 304mm (12") - drawer (factory fitted options available on request. Speak to your Bisley Representative for details)	800 (31.5") 900 (35.4") 1000 (39.4")		
	IAIFPG08PS IAIFPG09PS IAIFPG10PS	back panel for 380mm (15") - drawer (factory fitted options available on request. Speak to your Bisley Representative for details)	800 (31.5") 900 (35.4") 1000 (39.4")		

***Back panels are factory fitted only

LateralFile™ combination unit internal options

internal options			Price Group 64
internals	code	description	width mm
	IACB08PS IACB09PS IACB10PS	counterbalance (factory fitted, suffix 'Q' added to product code)	800 (31.5") 900 (35.4") 1000 (39.4")
	IC08NBSPS IC09NBSPS IC10NBSPS	narrow basic shelf (for use behind flipper) - 25mm (1") thick allow 25mm (1") for the shelf, plus an allowance for the maximum height to be stored on the shelf	800 (31.5") 900 (35.4") 1000 (39.4")
	IC08BSPS:T5 IC09BSPS:T5 IC10BSPS:T5	basic shelf - 27.5mm (1") thick allow 27.5mm (1") for the shelf, plus an allowance for the maximum height to be stored on the shelf.	800 (31.5") 900 (35.4") 1000 (39.4")
	IC08CRPS IC09CRPS IC10CRPS CAPCHP4PS	shelf with coat rail front to back captive coat hangers (pack of 4)	800 (31.5") 900 (35.4") 1000 (39.4") -
	IC08BSUPS IC09BSUPS IC10BSUPS	basic shelf with undershelf filing - 27.5mm (1") thick allow 25mm (1") for the shelf and 285mm (11.2") below for filing pockets, plus an allowance for the maximum height to be stored on the shelf.	800 (31.5") 900 (35.4") 1000 (39.4")
	IC08DDPPS IC09DDPPS IC10DDPPS	security drawer divider plate** (factory fitted options available on request. Speak to your Bisley Representative for details)	800 (31.5") 900 (35.4") 1000 (39.4")
	IAD6P3PS	dividers for 152mm (6") drawers (pack of 3)	-
	IC08SSPDPS:T5 IC09SSPDPS:T5 IC10SSPDPS:T5	slotted shelf - 27.5mm (1") thick slotted for plastic dividers allow 27.5mm (1") for the shelf, plus an allowance for the maximum height to be stored or 152mm (6") for dividers.	800 (31.5") 900 (35.4") 1000 (39.4")
	IC08SSUPDPS:T5 IC09SSUPDPS:T5 IC10SSUPDPS:T5	slotted shelf with undershelf filing - 27.5mm (1") thick slotted for plastic dividers allow 25mm (1") for the shelf, plus an allowance for the maximum height to be stored or 152mm (6") and 286mm (11.2") for conventional filing pockets.	800 (31.5") 900 (35.4") 1000 (39.4")
	IC08NSSPDPS IC09NSSPDPS IC10NSSPDPS	narrow slotted shelf - 25mm thick slotted for plastic dividers allow 25mm (1") for the shelf, plus an allowance for the maximum height to be stored or 152mm (6") for dividers.	800 (31.5") 900 (35.4") 1000 (39.4")
	SHDV64P5PS	plastic dividers for slotted shelves & drawers (pack of 5) allow 152mm (6") for height of dividers.	-
	PGNHLESET*	pigeon hole set Pigeon hole set contains: 5 plastic dividers, 8 plastic intermediate shelves and 4 plastic back plates (slotted shelf not included) allow 152mm (6") for height of dividers	-
	MSDIV431P2	steel shelf dividers (clip on design) Allow for 210mm (8.3") for height of dividers, pack of two dividers a left and right hand.	-

All internals are supplied in BLACK (except plastic shelf dividers & pigeon hole set supplied in translucent plastic)


**304mm (12") drawer has a reduced internal depth and will not accommodate A4 Lever Arch Files (spine up)

LateralFile™ vertical capacities

693mm (27.3) 845mm (33.5") 997mm (39.2") 1073mm (42.2") 1149mm (45.2") 1225mm (48.2") 1301mm (51.2") 1415mm (55.3") 1643mm (64.7") 1795mm (70.7") 1947mm (76.6") 2099mm (82.6")




A4 Box Files



A4 Lever-Arch Files

693mm (27.3) 845mm (33.5") 997mm (39.2") 1073mm (42.2") 1149mm (45.2") 1225mm (48.2") 1301mm (51.2") 1415mm (55.3") 1643mm (64.7") 1795mm (70.7") 1947mm (76.6") 2099mm (82.6")




Foolscap Box Files



Foolscap Lever-Arch Files

693mm (27.3) 845mm (33.5") 997mm (39.2") 1073mm (42.2") 1149mm (45.2") 1225mm (48.2") 1301mm (51.2") 1415mm (55.3") 1643mm (64.7") 1795mm (70.7") 1947mm (76.6") 2099mm (82.6")




Lateral Files

LateralFile™ unit planning


basic shelf, narrow basic shelf, basic shelf with undershelf filing, slotted shelf & divider

Allow 27.5mm (1") for the shelf and an allowance for the maximum height to be stored on the shelf and 285mm (11.2") for filing pockets, if undershelf filling is used

capacities for internal options and accessories				
	description	unit width mm	unit type	quantity
	lever-arch & box files (A4 & foolscap)	800 (31.5")	Two Door	10
		800 (31.5")	Tambour	9
		900 (35.4")	Two Door	10
		1000 (39.4")	Tambour	11
		1000 (39.4")	Two Door	12
		1200 (47.2")	Tambour	14

roll-out filing frame with files - tambours only



Please note that this is a guide only and should be calculated to your actual requirements

capacities for internal options and accessories			
	description	unit width mm	linear metres
	foolscap side to side	800 (31.5")	0.66
	foolscap side to side	900 (35.4")	0.82
	foolscap side to side	1000 (39.4")	1.02
	A4 front to back	800 (31.5") / 1000 (39.4")	0.75
	A4 / foolscap front to back*	/ 1200 (47")	0.75

*Please note that it is possible to configure the files front to back but this is not as space efficient as storing the files side to side

lateral rail with files, shelf with undershelf filling

When used with conventional filing pockets allow 285mm (11.2"), plus an allowance for the maximum height to be stored on the shelf. (When used with computer printout binders allow an additional 19mm (0.7"))

capacities for internal options and accessories			
	description	unit width mm	linear metres
 lateral rail with files	two door unit	800 (31.5")	0.69
		900 (35.4")	0.79
		1000 (39.4")	0.89
 shelf with undershelf filling	tambour unit	800 (31.5")	0.65
		900 (35.4")	0.81
		1000 (39.4")	1.01

roll-out 114mm (4") drawer - tambours only

Allow 114mm for the drawer plus an allowance for the maximum height to be stored in a drawer less 100mm (3.9") for the internal height of the drawer. (Internal measurements: depth = 380mm (15"), width = unit width less 190mm (7.5"), height = 100mm (3.9"))

capacities for internal options and accessories		
unit width mm	cd	quantity (cds)
800 (31.5")		148
900 (35.4")		183
1000 (39.4")		228