


SystemFile™ two door cupboards



SYD08/2




SYD08/3




SYD08/34



SYD08/4



SYD08/43



SYD08/50




SYD08/54



SYD08/6

| 800mm (31.5") wide, 470mm (18.5") deep two door cupboards | | Price Group 65 |
|---|-------------------|----------------|
| code | description | height mm |
| SYD08/2 | two door cupboard | 693 (27.2") |
| SYD08/3 | two door cupboard | 997 (39.2") |
| SYD08/34 | two door cupboard | 1149 (45.2") |
| SYD08/4 | two door cupboard | 1301 (51.2") |
| SYD08/43 | two door cupboard | 1415 (55.7") |
| SYD08/50 | two door cupboard | 1643 (64.7") |
| SYD08/54 | two door cupboard | 1795 (70.5") |
| SYD08/6 | two door cupboard | 1947 (76.5") |

Top panel is 472mm (18.6") deep. Two door cupboards are supplied empty
Height is adjustable up to 24mm (1") in total



SYD08/6/C

| 800mm (31.5") wide, 600mm (23.6") deep ventilated two door cupboards | | Price Group 65 |
|--|--|----------------|
| code | description | height mm |
| SYD08/6/C | ventilated doors (includes shelf with coat rail) | 1947 (76.5") |

Height is adjustable up to 24mm (1") in total



SYD10/2



SYD10/3



SYD10/34



SYD10/4



SYD10/43



SYD10/50



SYD10/54



SYD10/6

| 1000mm (39.4") wide, 470mm (18.5") deep two door cupboards | | Price Group 65 |
|--|-------------------|----------------|
| code | description | height mm |
| SYD10/2 | two door cupboard | 693 (27.2") |
| SYD10/3 | two door cupboard | 997 (39.2") |
| SYD10/34 | two door cupboard | 1149 (45.2") |
| SYD10/4 | two door cupboard | 1301 (51.2") |
| SYD10/43 | two door cupboard | 1415 (55.7") |
| SYD10/50 | two door cupboard | 1643 (64.7") |
| SYD10/54 | two door cupboard | 1795 (70.5") |
| SYD10/6 | two door cupboard | 1947 (76.5") |

Top panel is 472mm (18.6") deep. Two door cupboards are supplied empty
Height is adjustable up to 24mm (1") in total



SYD10/6/C






| 1000mm (39.4") wide, 600mm (23.6") deep ventilated two door cupboards | | Price Group 65 |
|---|--|----------------|
| code | description | height mm |
| SYD10/6/C | ventilated doors (includes shelf with coat rail) | 1947 (76.5") |

Height is adjustable up to 24mm (1") in total

SystemFile™ cupboard internal options

| internal options | | | Price Group 65 |
|---|------------------------------------|---|-----------------------------|
| internals | code | description | width |
|  | BIC08DRSPS BIC10DRSPS | roll-out shelf | 800 (31.5") 1000 (39.4") |
|  | BIC08SSPDPS:T5 BIC10SSPDPS:T5 | slotted shelf | 800 (31.5") 1000 (39.4") |
|  | BIC08SSUPDPS:T5 BIC10SSUPDPS:T5 | slotted shelf with undershelf filing | 800 (31.5") 1000 (39.4") |
|  | SHDV65P5PS | plastic shelf dividers (5 pack) | - |
|  | PGNHLESET | pigeon hole set** | - |
|  | BIC08NBSPS BIC10NBSPS | narrow shelf 25mm (1") | 800 (31.5") 1000 (39.4") |
|  | BIC08BSPS:T5 BIC10BSPS:T5 | shelf 27.5mm (1") | 800 (31.5") 1000 (39.4") |
|  | BIC08BSUPS BIC10BSUPS | shelf with undershelf filing (adjustable) | 800 (31.5") 1000 (39.4") |
|  | BIC08FBPS BIC10FBPS | file bar (1 needed per drawer) | 800 (31.5") 1000 (39.4") |
|  | BIC08CRPS BIC10CRPS | coat rail - front to back with shelf | 800 (31.5") 1000 (39.4") |
|  | BIC08LRFPS BIC10LRFPS | lateral rail for 304.8mm (12") flipper door | 800 (31.5") 1000 (39.4") |

SystemFile™ cupboard internal options


| internal options | | | Price Group 65 |
|--|--------------------------|---|-----------------------------|
| internals | code | description | width |
|  | BIC08LRPS BIC10LRPS | lateral rail | 800 (31.5") 1000 (39.4") |
|  | BICCRPS | cross rails for front to back suspension filing | - |
|  | BIC08RFAPS BIC10RFAPS | roll-out filing frame | 800 (31.5") 1000 (39.4") |
|  | CTCSH086PS CTCSH106PS | Basic shelf for coat cupboard 600mm (23.6") depth | 800 (31.5") 1000 (39.4") |
|  | MSDIV431P2 | steel shelf dividers (clip on design) | - |

All interior components are supplied in black

* Recommended for all units up to 1300mm (51") in height

** Pigeon hole set contains: 5 plastic dividers, 8 plastic intermediate shelves and 4 plastic back plates (slotted shelf not included)

safety warning



Roll out fitments must only be fitted in the bottom half of any Bisley Storage unit.

With exception of units over 2000mm where no more than 3 roll outs are recommended.

For your Safety ensure that:


1. Storage cupboards are positioned on a level floor surface.
 2. All roll-out accessories are fitted in the lower half of the unit.
 3. If more than one roll-out is used, the supplied interlock should be fitted.
 4. No roll-out fitments are stood or leaned on.
 5. All fitments are installed from the base upwards.
- Consult your Bisley Dealer if in any doubt.

notes



SystemFile™ vertical capacities



| A4 boxfile | | |
|----------------|------------|----------------|
| height | width | depth |
| 337 (13.3") | 75 (3") | 265 (10.4") |




| A4 leverarch | | |
|----------------|------------|--------------|
| height | width | depth |
| 318 (12.5") | 75 (3") | 280 (11") |



See highlighted units in this row for best fit. →

| foolscap leverarch | | |
|--------------------|------------|----------------|
| height | width | depth |
| 350 (13.8") | 75 (3") | 285 (11.2") |




See highlighted units in this row for best fit. →

| foolscap boxfile | | |
|------------------|------------|----------------|
| height | width | depth |
| 368 (14.5") | 75 (3") | 265 (10.4") |



See highlighted units in this row for best fit. →

| lateral files | | |
|----------------|------------|--------------|
| height | width | depth |
| 275 (10.8") | 75 (3") | 330 (13") |



Soft storage products may differ between manufacturers.